

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-4	4	<u>DATAYEAR</u> <u>Year Birth of Child (Data Year)</u> 1999 ... 1999
5	1	<u>RECTYPE</u> <u>Record Type</u> 1 ... Resident: State and county of occurrence and residence are the same. 2 ... Nonresident: State and/or county of occurrence and residence are different.
6	1	<u>RESTATUS</u> <u>Resident Status</u> <u>United States occurrence</u> 1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the U.S. 4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the U.S. <u>Puerto Rico occurrence</u> 1 ... RESIDENTS: Territory and county equivalent of occurrence and residence are the same. 2 ... INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

4	...	county equivalent is different. FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.
---	-----	--

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

6

1

RESTATUS

Resident Status (Cont'd)

Virgin Islands occurrence

- | | | |
|---|-----|--|
| 1 | ... | RESIDENTS: Territory and county equivalent of occurrence and residence are the same. |
| 2 | ... | INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. |
| 4 | ... | FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place. |

Guam occurrence

- | | | |
|---|-----|---|
| 1 | ... | RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S. |
| 4 | ... | FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or of the U.S. |

American Samoa occurrence

- | | | |
|---|-----|--|
| 1 | ... | RESIDENTS: Territory and county equivalent of occurrence and residence are the same. |
| 2 | ... | INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county equivalent is different. |
| 4 | ... | FOREIGN RESIDENTS: Occurred in the American Samoa to a resident of any other place. |

Northern Marianas occurrence

- | | | |
|---|-----|----------------------|
| 1 | ... | RESIDENTS: Territory |
|---|-----|----------------------|

and county

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
occurrence and same. INTRATERRITORY NONRESIDENTS: occurrence and same, but county different. Occurred in the a resident of other place.		<p>equivalent of residence are the 2 ... Territory of residence are the equivalent is 4 ... FOREIGN RESIDENTS: Northern Marianas to any</p>
7	1	<p><u>RECWT</u> <u>Record Weight</u></p> <p>1 ... Constant - as of the 1985 data year, this file contains data on a 100-percent basis from all reporting areas.</p>
8	1	<p><u>PLDEL</u> <u>Place or Facility of Birth</u></p> <p>1 ... Hospital 2 ... Freestanding Birthing Center 3 ... Clinic or Doctor's Office 4 ... A Residence 5 ... Other 9 ... Unknown or Not Stated</p>
9	1	<p><u>PLDEL3</u> <u>Place or Facility of Birth Recode</u></p> <p>1 ... In Hospital 2 ... Not in a Hospital</p>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		3 ... Unknown or Not Stated
10	1	<u>BIRATTND</u> <u>Attendant at Birth</u>
(C.N.M.)		1 ... Doctor of Medicine (M.D.)
		2 ... Doctor of Osteopathy (D.O.)
		3 ... Certified Nurse Midwife
		4 ... Other Midwife
		5 ... Other
		9 ... Unknown or Not Stated
11-26	16	<u>NOCCUR</u> <u>Place of Occurrence</u>
11-13	3	<u>RDSSCOCC</u> <u>Region, Division, and State Subcode of</u> <u>Occurrence</u>
11	1	<u>REGNOCC</u> <u>Region of Occurrence</u>
12	1	<u>DIVOCC</u> <u>Division of Occurrence</u>
13	1	<u>STSUBOCC</u> <u>State Subcode of Occurrence</u>
<p style="text-align: center;">States are coded within division and the structure is designed to</p> <p>sequence the States</p> <p style="text-align: center;">as they appear in NCHS publications.</p>		
		000 ... Not applicable: P.R., V.I., A.S., Guam or M.P.
		occurrence
	1	... <u>NORTHEAST</u>
	1	... New England
	1	... Maine
	2	... New Hampshire
	3	... Vermont
	4	... Massachusetts

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
13	1	<u>STSUBOCC</u> <u>State Subcode of Occurrence (Cont'd)</u> <div style="margin-left: 40px;">5 ... Rhode Island</div> <div style="margin-left: 40px;">6 ... Connecticut</div> <div style="margin-left: 20px;">2 ... <u>Middle Atlantic</u></div> <div style="margin-left: 40px;">1 ... New York</div> <div style="margin-left: 40px;">2 ... New Jersey</div> <div style="margin-left: 40px;">3 ... Pennsylvania</div> <div style="margin-left: 20px;">2 ... <u>MIDWEST</u></div> <div style="margin-left: 40px;">3 ... <u>East North Central</u></div> <div style="margin-left: 40px;">1 ... Ohio</div> <div style="margin-left: 40px;">2 ... Indiana</div> <div style="margin-left: 40px;">3 ... Illinois</div> <div style="margin-left: 40px;">4 ... Michigan</div> <div style="margin-left: 40px;">5 ... Wisconsin</div> <div style="margin-left: 20px;">4 ... <u>West North Central</u></div> <div style="margin-left: 40px;">1 ... Minnesota</div> <div style="margin-left: 40px;">2 ... Iowa</div> <div style="margin-left: 40px;">3 ... Missouri</div> <div style="margin-left: 40px;">4 ... North Dakota</div> <div style="margin-left: 40px;">5 ... South Dakota</div> <div style="margin-left: 40px;">6 ... Nebraska</div> <div style="margin-left: 40px;">7 ... Kansas</div> <div style="margin-left: 20px;">3 ... <u>SOUTH</u></div> <div style="margin-left: 40px;">5 ... <u>South Atlantic</u></div> <div style="margin-left: 40px;">1 ... Delaware</div> <div style="margin-left: 40px;">2 ... Maryland</div> <div style="margin-left: 40px;">3 ... District of Columbia</div> <div style="margin-left: 40px;">4 ... Virginia</div> <div style="margin-left: 40px;">5 ... West Virginia</div> <div style="margin-left: 40px;">6 ... North Carolina</div> <div style="margin-left: 40px;">7 ... South Carolina</div> <div style="margin-left: 40px;">8 ... Georgia</div> <div style="margin-left: 40px;">9 ... Florida</div> <div style="margin-left: 20px;">6 ... <u>East South Central</u></div> <div style="margin-left: 40px;">1 ... Kentucky</div> <div style="margin-left: 40px;">2 ... Tennessee</div> <div style="margin-left: 40px;">3 ... Alabama</div> <div style="margin-left: 40px;">4 ... Mississippi</div> <div style="margin-left: 20px;">7 ... <u>West South Central</u></div> <div style="margin-left: 40px;">1 ... Arkansas</div> <div style="margin-left: 40px;">2 ... Louisiana</div> <div style="margin-left: 40px;">3 ... Oklahoma</div> <div style="margin-left: 40px;">4 ... Texas</div> <div style="margin-left: 20px;">4 ... <u>WEST</u></div> <div style="margin-left: 40px;">8 ... <u>Mountain</u></div>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		1 ... Montana 2 ... Idaho 3 ... Wyoming 4 ... Colorado 5 ... New Mexico 6 ... Arizona 7 ... Utah 8 ... Nevada 9 ... <u>Pacific</u> 1 ... Washington 2 ... Oregon 3 ... California
13	1	<u>STSUBOCC</u> <u>State Subcode of Occurrence (Cont'd)</u> 4 ... Alaska 5 ... Hawaii
14-15	2	<u>STNATEXP</u> <u>Expanded State of Occurrence</u>
identify		<p>This item is designed to separately</p> <p>New York city records from other New York State records.</p> <p><u>United States</u></p> 01 ... Alabama 02 ... Alaska 03 ... Arizona 04 ... Arkansas 05 ... California 06 ... Colorado 07 ... Connecticut 08 ... Delaware 09 ... District of Columbia 10 ... Florida 11 ... Georgia 12 ... Hawaii 13 ... Idaho 14 ... Illinois 15 ... Indiana 16 ... Iowa 17 ... Kansas 18 ... Kentucky 19 ... Louisiana 20 ... Maine

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		21 ... Maryland 22 ... Massachusetts 23 ... Michigan 24 ... Minnesota 25 ... Mississippi 26 ... Missouri 27 ... Montana 28 ... Nebraska 29 ... Nevada 30 ... New Hampshire 31 ... New Jersey 32 ... New Mexico 33 ... New York 34 ... New York city 35 ... North Carolina 36 ... North Dakota 37 ... Ohio 38 ... Oklahoma 39 ... Oregon 40 ... Pennsylvania 41 ... Rhode Island 42 ... South Carolina 43 ... South Dakota 44 ... Tennessee 45 ... Texas
14-15	2	<u>STNATEXP</u> <u>Expanded State of Occurrence (Cont'd)</u> 46 ... Utah 47 ... Vermont 48 ... Virginia 49 ... Washington 50 ... West Virginia 51 ... Wisconsin 52 ... Wyoming <u>Puerto Rico</u> 53 ... Puerto Rico <u>Virgin Islands</u> 54 ... Virgin Islands <u>Guam</u> 55 ... Guam

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

American Samoa

62 ... American Samoa

Northern Marianas

63 ... Northern Marianas

16-17

2

STATENAT

State of Occurrence

United States

01	...	Alabama
02	...	Alaska
03	...	Arizona
04	...	Arkansas
05	...	California
06	...	Colorado
07	...	Connecticut
08	...	Delaware
09	...	District of Columbia
10	...	Florida
11	...	Georgia
12	...	Hawaii
13	...	Idaho
14	...	Illinois
15	...	Indiana
16	...	Iowa
17	...	Kansas
18	...	Kentucky
19	...	Louisiana
20	...	Maine
21	...	Maryland
22	...	Massachusetts
23	...	Michigan
24	...	Minnesota
25	...	Mississippi
26	...	Missouri
27	...	Montana
28	...	Nebraska

16-17

2

STATENAT

State of Occurrence (Cont'd)

29	...	Nevada
30	...	New Hampshire
31	...	New Jersey
32	...	New Mexico

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

33	...	New York
34	...	North Carolina
35	...	North Dakota
36	...	Ohio
37	...	Oklahoma
38	...	Oregon
39	...	Pennsylvania
40	...	Rhode Island
41	...	South Carolina
42	...	South Dakota
43	...	Tennessee
44	...	Texas
45	...	Utah
46	...	Vermont
47	...	Virginia
48	...	Washington
49	...	West Virginia
50	...	Wisconsin
51	...	Wyoming

Puerto Rico

52	...	Puerto Rico
----	-----	-------------

Virgin Islands

53	...	Virgin Islands
----	-----	----------------

Guam

54	...	Guam
----	-----	------

American Samoa

61	...	American Samoa
----	-----	----------------

Northern Marianas

62	...	Northern Marianas
----	-----	-------------------

18-20

3

CNTYNAT

County of Occurrence

001-nnn	...	Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a
---------	-----	--

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		population of 100,000 or more in 1990. (Note: To uniquely identify a county, both State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
18-20	3	<u>CNTYNAT</u> <u>County of Occurrence (Cont'd)</u>
100,000		999 ... County of less than population
21-25	5	<u>FIPSOCC</u> <u>Federal Information Processing Standards</u> <u>Geographic Codes (Occurrence)</u>
<u>(FIPS)</u>		Refer to the Geographic Code Outline this document for a detailed list of areas codes. For an explanation of FIPS codes, should be made to various National Standards and Technology (NIST)
further back in		Some Geographic codes have changed to
and		results of the 1990 Census.
reference		
Institute of		
publications.		
reflect the		
21-22	2	<u>STOCCFIP</u> <u>State of Occurrence (FIPS)</u> <u>United States</u>
		01 ... Alabama
		02 ... Alaska
		04 ... Arizona
		05 ... Arkansas

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		06 ... California
		08 ... Colorado
		09 ... Connecticut
		10 ... Delaware
		11 ... District of Columbia
		12 ... Florida
		13 ... Georgia
		15 ... Hawaii
		16 ... Idaho
		17 ... Illinois
		18 ... Indiana
		19 ... Iowa
		20 ... Kansas
		21 ... Kentucky
		22 ... Louisiana
		23 ... Maine
		24 ... Maryland
		25 ... Massachusetts
		26 ... Michigan
		27 ... Minnesota
		28 ... Mississippi
		29 ... Missouri
		30 ... Montana
		31 ... Nebraska
		32 ... Nevada
		33 ... New Hampshire
		34 ... New Jersey
		35 ... New Mexico
		36 ... New York
		37 ... North Carolina
		38 ... North Dakota
		39 ... Ohio

21-22

2

<u>STOCCFIP</u>		
<u>State of Occurrence (FIPS) (Cont'd)</u>		
40	...	Oklahoma
41	...	Oregon
42	...	Pennsylvania
44	...	Rhode Island
45	...	South Carolina
46	...	South Dakota
47	...	Tennessee
48	...	Texas
49	...	Utah
50	...	Vermont

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

51 ... Virginia
 53 ... Washington
54 ... West Virginia
 55 ... Wisconsin
56 ... Wyoming

Puerto Rico

72 ... Puerto Rico

Virgin Islands

78 ... Virgin Islands

Guam

66 ... Guam

American Samoa

60 ... American Samoa

Northern Marianas

69 ...

Northern Marianas

23-25

3

CNTOCFIP

County of Occurrence (FIPS)

001-nnn ... Counties and
county
equivalents
(independent
and coextensive
cities) are
numbered
alphabetically
within each
State. (Note:
To uniquely
identify a
county, both
the State and
county codes
must be used.)
A complete list
of counties is

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

shown in the
Geographic Code
Outline further
back in this
document.

999

... County of less than
100,000 population

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
26	1	<u>CNTOCPOP</u> <u>Population Size of County of Occurrence</u> Based on the results of the 1990 Census <div> <div>0</div> <div>...</div> <div>County of 1,000,000 or more</div> </div> <div> <div>1</div> <div>...</div> <div>County of 500,000 to</div> </div> <div> <div>2</div> <div>...</div> <div>County of 250,000 to</div> </div> <div> <div>3</div> <div>...</div> <div>County of 100,000 to</div> </div>
27-58	32	<u>NRESID</u> <u>Place of Residence</u> Refer to the Geographic Code Outline this document for a detailed list of areas codes. Some Geographic codes have changed reflect the results of the 1990 Census.
27-29	3	<u>RDSCRES</u> <u>Region, Division, and State Subcode of</u>
<u>Residence</u>		
27	1	<u>REGNRES</u> <u>Region of Residence</u>
28	1	<u>DIVRES</u> <u>Division of Residence</u>
29	1	<u>STSUBRES</u> <u>State Subcode of Residence</u> States are coded within Division and the structure is designed to sequence the appear in NCHS publications.
code		
States as they		
		<u>APPLICABLE TO U.S. ONLY</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>	
		000	... <u>Foreign Residents</u>
		1	... <u>NORTHEAST</u>
		1	... <u>New England</u>
		1	... Maine
		2	... New Hampshire
		3	... Vermont
		4	... Massachusetts
		5	... Rhode Island
		6	... Connecticut
		2	... <u>Middle Atlantic</u>
		1	... New York
		2	... New Jersey
		3	... Pennsylvania
		2	... <u>MIDWEST</u>
		3	... <u>East North Central</u>
		1	... Ohio
		2	... Indiana
		3	... Illinois
		4	... Michigan
		5	... Wisconsin
		4	... <u>West North Central</u>
29	1	<u>STSUBRES</u>	
		<u>State Subcode of Residence (Cont'd)</u>	
		1	... Minnesota
		2	... Iowa
		3	... Missouri
		4	... North Dakota
		5	... South Dakota
		6	... Nebraska
		7	... Kansas
		3	... <u>SOUTH</u>
		5	... <u>South Atlantic</u>
		1	... Delaware
		2	... Maryland
		3	... District of Columbia
		4	... Virginia
		5	... West Virginia
		6	... North Carolina
		7	... South Carolina
		8	... Georgia
		9	... Florida
		6	... <u>East South Central</u>
		1	... Kentucky
		2	... Tennessee
		3	... Alabama

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>		
		4	...	Mississippi
		7	...	<u>West South Central</u>
		1	...	Arkansas
		2	...	Louisiana
		3	...	Oklahoma
		4	...	Texas
		4	...	<u>WEST</u>
		8	...	<u>Mountain</u>
		1	...	Montana
		2	...	Idaho
		3	...	Wyoming
		4	...	Colorado
		5	...	New Mexico
		6	...	Arizona
		7	...	Utah
		8	...	Nevada
		9	...	<u>Pacific</u>
		1	...	Washington
		2	...	Oregon
		3	...	California
		4	...	Alaska
		5	...	Hawaii
30-31	2	<u>STRESEXP</u>		
		<u>Expanded State of Residence</u>		
identify New		This item is designed to separately		
records.		York City records from other New York State		
		<u>United States occurrence</u>		
		01	...	Alabama
		02	...	Alaska
30-31	2	<u>STRESEXP</u>		
		<u>Expanded State of Residence (Cont'd)</u>		
		03	...	Arizona
		04	...	Arkansas
		05	...	California
		06	...	Colorado
		07	...	Connecticut
		08	...	Delaware
		09	...	District of Columbia

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... New York City
		35 ... North Carolina
		36 ... North Dakota
		37 ... Ohio
		38 ... Oklahoma
		39 ... Oregon
		40 ... Pennsylvania
		41 ... Rhode Island
		42 ... South Carolina
		43 ... South Dakota
		44 ... Tennessee
		45 ... Texas
		46 ... Utah
		47 ... Vermont
		48 ... Virginia
		49 ... Washington
		50 ... West Virginia
		51 ... Wisconsin
		52 ... Wyoming
		53-58,60, ... Foreign Residents
		62,63
		53 ... Puerto Rico

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

30-31

2

54 ... Virgin Islands

55 ... Guam

STRESEXP

Expanded State of Residence (Cont'd)

62 ... American Samoa

63 ... Northern Marianas

56 ... Canada

57 ... Cuba

58 ... Mexico

60 ... Remainder of the world

Puerto Rico occurrence

53 ... Puerto Rico

01-52,54-58,60,62,63... Foreign

residents: Refer

to U.S.

for specific code

structure.

Virgin Islands occurrence

54 ... Virgin Islands

01-53,55-58,60,62,63... Foreign

residents: Refer

to U.S. for specific code

structure.

Guam occurrence

55 ... Guam

01-52 ... U.S. resident is

also

considered a

resident of

Guam.

53-54,56-58,60,62,63... Foreign

residents: Refer

to U.S. for specific code

structure.

American Samoa occurrence

62 ... American Samoa

01-52 ... U.S. resident is

also

considered a

resident of

American Samoa

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>	
		53-58,60,63	... Foreign
residents: Refer			
to U.S. for specific code			structure.
		<u>Northern Marianas</u>	
Marianas		63	... Northern
resident is also		01-52	... U.S.
a resident of			considered
Marianas.			Northern
		53-58,60,62	... Foreign
residents: Refer			
to U.S. for specific code			structure.

32-33 2

STATERES
State of Residence

United States occurrence

01	...	Alabama
02	...	Alaska
03	...	Arizona
04	...	Arkansas
05	...	California
06	...	Colorado
07	...	Connecticut

32-33 2

STATERES
State of Residence (Cont'd)

08	...	Delaware
09	...	District of Columbia
10	...	Florida
11	...	Georgia
12	...	Hawaii
13	...	Idaho
14	...	Illinois
15	...	Indiana
16	...	Iowa
17	...	Kansas
18	...	Kentucky
19	...	Louisiana
20	...	Maine
21	...	Maryland

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... North Carolina
		35 ... North Dakota
		36 ... Ohio
		37 ... Oklahoma
		38 ... Oregon
		39 ... Pennsylvania
		40 ... Rhode Island
		41 ... South Carolina
		42 ... South Dakota
		43 ... Tennessee
		44 ... Texas
		45 ... Utah
		46 ... Vermont
		47 ... Virginia
		48 ... Washington
		49 ... West Virginia
		50 ... Wisconsin
		51 ... Wyoming
		52-57,59,61,62..Foreign Residents
		52 ... Puerto Rico
		53 ... Virgin Islands
		54 ... Guam
		61 ... American Samoa
		62 ... Northern Marianas
		55 ... Canada
		56 ... Cuba
		57 ... Mexico
		59 ... Remainder of the world

32-33

2

STATERES

State of Residence (Cont'd)

Puerto Rico occurrence

52 ... Puerto Rico

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
Refer to code		01-51,53-57,59, ... Foreign Residents: 61,62 U.S. for specific structure.
		<u>Virgin Islands occurrence</u>
Refer to		53 ... Virgin Islands 01-52,54-57,59, ... Foreign Residents: 61,62 U.S. for specific code structure.
		<u>Guam occurrence</u>
Guam.		54 ... Guam 01-51 ... U.S. resident is also considered a resident of
Refer to		52-53,55-57,59, ... Foreign Residents: 61,62 U.S. for specific code structure.
		<u>American Samoa occurrence</u>
to		61 ... American Samoa 01-51 ... U.S. resident is also considered a resident of American Samoa 52-57,59,62 ... Foreign Residents: Refer U.S. for specific code structure.
		<u>Northern Marianas</u>
Marianas		62 ... Northern
also		01-51 ... U.S resident is considered a
resident of		Northern
Marianas.		
Residents: Refer to		52-57,59,61 ... Foreign
specific code		U.S. for

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

structure.

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
34-36	3	<p><u>CNTYRES</u> <u>County of Residence</u></p> <p>A complete list of counties is shown in the Geographic Code Outline further back in this document.</p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>100,000 999 ... County of less than population</p> <p>ZZZ ... Foreign Residents</p>
37-39	3	<p><u>CITYRES</u> <u>City of Residence</u></p> <p>A complete list of cities is shown in the Geographic Code Outline further back in this document.</p> <p>001-nnn ... Cities are numbered alphabetically</p> <p>within each State and identify each city with a population of 100,000 or more in 1990. (Note: To uniquely identify a city, both the State and city codes must be used. State, county and city codes may also be used.)</p> <p>999 ... Balance of county</p>

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

ZZZ

... Foreign residents

1999
Detail Natality Record

Tape Location	Field Size	Item and Code Outline
40	1	<u>CITRSPOP</u> <u>Population Size of City of Residence</u> Based on the results of the 1990 census 0 ... Place of 1,000,000 or more 1 ... Place of 500,000 to 1,000,000 2 ... Place of 250,000 to 500,000 3 ... Place of 100,000 to 250,000 9 ... All other areas in the U.S. Z ... Foreign residents
41	1	<u>METRORES</u> <u>Metropolitan - Nonmetropolitan County of Residence</u> <u>NOTE:</u> VIRGIN ISLANDS, GUAM, NORTHERN MARIANAS AND AMERICAN SAMOA DO NOT HAVE ANY METROPOLITAN AREAS 1 ... Metropolitan county 2 ... Nonmetropolitan county Z ... Foreign residents
42-57	16	<u>FIPSRES</u> <u>Federal Information Processing Standards</u> <u>(FIPS) Geographic Codes (Residence)</u> Refer to the Geographic Code Outline further this document for a detailed list of areas codes. For an explanation of FIPS codes, should be made to various National Institute Standards and Technology (NIST)

1999
Detail Natality Record

Tape <u>Location</u>	Field <u>Size</u>	<u>Item and Code Outline</u>
results		Geographic Codes have changed to reflect the of the 1990 Census.

42-43	2
-------	---

STRESFIP
State of Residence (FIPS)

00	...	Foreign residents
01	...	Alabama
02	...	Alaska
04	...	Arizona
05	...	Arkansas
06	...	California
08	...	Colorado
09	...	Connecticut
10	...	Delaware
11	...	District of Columbia
12	...	Florida
13	...	Georgia
15	...	Hawaii
16	...	Idaho
17	...	Illinois
18	...	Indiana
19	...	Iowa
20	...	Kansas
21	...	Kentucky
22	...	Louisiana

42-43	2
-------	---

STRESFIP
State of Residence (FIPS) (Cont'd)

23	...	Maine
24	...	Maryland
25	...	Massachusetts
26	...	Michigan
27	...	Minnesota
28	...	Mississippi
29	...	Missouri
30	...	Montana
31	...	Nebraska
32	...	Nevada
33	...	New Hampshire
34	...	New Jersey
35	...	New Mexico
36	...	New York
37	...	North Carolina

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

38	...	North Dakota
39	...	Ohio
40	...	Oklahoma
41	...	Oregon
42	...	Pennsylvania
44	...	Rhode Island
45	...	South Carolina
46	...	South Dakota
47	...	Tennessee
48	...	Texas
49	...	Utah
50	...	Vermont
51	...	Virginia
53	...	Washington
54	...	West Virginia
55	...	Wisconsin
56	...	Wyoming

Puerto Rico occurrence

00-56,60,66,78,69	...	Foreign Residents: Refer to U.S. for specific code structure
72	...	Puerto Rico

Virgin Islands occurrence

00-56,60,66,72,69	...	Foreign Residents: Refer to U.S. for specific code structure
78	...	Virgin Islands

Guam occurrence

00,60,72,78,69	...	Foreign Residents: Refer to U.S. for specific code structure
01-56	...	U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure
66	...	Guam

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
<u>State of Residence (FIPS) (Cont'd)</u>		
<u>American Samoa occurrence</u>		
		00,66,72,78,69 ... Foreign Residents: Refer to U.S. for specific code structure
		01-56 ... U.S. Resident is also considered a resident of American Samoa. Refer to specific code structure
		60 ... American Samoa
<u>Northern Marianas</u>		
Residents: Refer to specific code		00,60,66,72,78 ... Foreign U.S. for structure.
also		01-56 ... U.S. Resident is considered a
resident of		Northern
Marianas. Refer to structure.		Specific code
Marianas		69 ... Northern
44-46	3	<u>CNTYRFIP</u> <u>County of Residence (FIPS)</u>
		001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)
		999 ... County of less than 100,000 population

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		000 ... Foreign residents
47-51	5	<u>PLACEFIP</u> <u>Place (City) of Residence</u>
<p>A complete list of cities is shown in the Geographic code outline further back in this document. Effective with the 1994 data year, the FIPS place code has been added to the Natality record. It identifies each city of 100,000 population or more in 1990.</p>		
		00000 ... Foreign residents
		00001-
		nnnnn ... Code range
city of less 100,000 population		99999 ... Balance of county; or than
52-53	2	<u>CMSA</u> <u>CMSA of Residence (FIPS)</u>
are		Consolidated Metropolitan Statistical Areas
U.S.		groupings of certain Primary Metropolitan Statistical Areas and are defined by the
June 30,		Office of Management and Budget (OMB) as of
		1990.
52-53	2	<u>CMSA</u> <u>CMSA of Residence (FIPS) (Cont'd)</u>
		<u>All AREAS</u>
		00 ... Not a CMSA
		<u>United States occurrence</u>
NH-ME		07 ... Boston-Worcester-Lawrence, MA-
		CT, CMSA
CMSA		14 ... Chicago-Gary-Kenosha, IL-IN-WI,
CMSA		21 ... Cincinnati-Hamilton, OH-KY-IN,
		28 ... Cleveland-Akron, OH, CMSA

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
CMSA		31 ... Dallas-Fort Worth, TX, CMSA
		34 ... Denver-Boulder-Greeley, CO, CMSA
		35 ... Detroit-Ann Arbor-Flint, MI,
CMSA		42 ... Houston-Galveston-Brazoria, TX,
County,		49 ... Los Angeles-Riverside-Orange
		CA, CMSA
		56 ... Miami-Fort Lauderdale, FL, CMSA
		63 ... Milwaukee-Racine, WI, CMSA
Jersey-Long		70 ... New York-Northern New
		Island, NY-NJ-CT-PA, CMSA
Atlantic		77 ... Philadelphia-Wilmington-
		City, PA-NJ-DE-MD, CMSA
		79 ... Portland-Salem, OR-WA, CMSA
		82 ... Sacramento-Yolo, CA, CMSA
CA,		84 ... San Francisco-Oakland-San Jose,
		CMSA
CMSA		91 ... Seattle-Tacoma-Bremerton, WA,
WV,		97 ... Washington-Baltimore, DC-MD-VA-
		CMSA

Puerto Rico occurrence

87 ... San Juan-Caguas-Arecibo, PR, CMSA

54-57

4

SMSARFIP

PMSA/MSA of Residence (FIPS)

defined by
of
County

Primary Metropolitan Statistical Areas and
Metropolitan Statistical Areas are those
the U.S. Office of Management and Budget as
1990. For New England, the New England
Metropolitan Areas (NECMA's) are used.

1999
Detail Natality Record

Tape
LocationField
Size

Item and Code Outline

PMSA's,
counties.

Further back in this document is a list of MSA's, NECMA's, and their component

population

0000	...	Nonmetropolitan counties or foreign residents
0040-9360	...	Code range
9999	...	Area of less than 100,000

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																		
58	1	<p style="text-align: center;"><u>CNTRSPOP</u> <u>Population Size of County of Residence</u></p> <p>Based on the results of the 1990 Census.</p> <table> <tr> <td>0</td><td>...</td><td>County of 1,000,000 or more</td></tr> <tr> <td>1</td><td>...</td><td>County of 500,000 to</td></tr> <tr> <td>2</td><td>...</td><td>County of 250,000 to</td></tr> <tr> <td>3</td><td>...</td><td>County of 100,000 to</td></tr> <tr> <td>9</td><td>...</td><td>County of less than 100,000</td></tr> <tr> <td>Z</td><td>...</td><td>Foreign resident</td></tr> </table>	0	...	County of 1,000,000 or more	1	...	County of 500,000 to	2	...	County of 250,000 to	3	...	County of 100,000 to	9	...	County of less than 100,000	Z	...	Foreign resident
0	...	County of 1,000,000 or more																		
1	...	County of 500,000 to																		
2	...	County of 250,000 to																		
3	...	County of 100,000 to																		
9	...	County of less than 100,000																		
Z	...	Foreign resident																		
59-67	9	<p><u>R1A</u> <u>Reserved Positions</u></p>																		
68	1	<p><u>MAGERFLG</u> <u>Reported Age of Mother Used Flag</u></p> <p>This position is flagged whenever the reported age is used. The reported age is valid, when age could not be computed or computed age is outside the 10-54 code range.</p> <table> <tr> <td>Blank</td><td>...</td><td>Reported age is not used</td></tr> <tr> <td>1</td><td>...</td><td>Reported age is used</td></tr> </table>	Blank	...	Reported age is not used	1	...	Reported age is used												
Blank	...	Reported age is not used																		
1	...	Reported age is used																		
69	1	<p><u>MAGEIMP</u> <u>Age of Mother Imputation Flag</u></p> <table> <tr> <td>Blank</td><td>...</td><td>Age is not imputed</td></tr> <tr> <td>1</td><td>...</td><td>Age is imputed</td></tr> </table>	Blank	...	Age is not imputed	1	...	Age is imputed												
Blank	...	Age is not imputed																		
1	...	Age is imputed																		
70-71	2	<p><u>DMAGE</u> <u>Age of Mother</u></p> <p>This item is: a) computed using dates of birth of</p>																		

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
imputed.		mother and of delivery; b) reported; or c)
publications.		This is the age item used in NCHS

10-54 ... Age in single years

72-73 2

MAGE36
Age of Mother Recode 36

01	...	Under 15 years
02	...	15 years
03	...	16 years
04	...	17 years
05	...	18 years
06	...	19 years
07	...	20 years
08	...	21 years
09	...	22 years
10	...	23 years
11	...	24 years
12	...	25 years
13	...	26 years

72-73 2

MAGE36
Age of Mother Recode 36 (Cont'd)

14	...	27 years
15	...	28 years
16	...	29 years
17	...	30 years
18	...	31 years
19	...	32 years
20	...	33 years
21	...	34 years
22	...	35 years
23	...	36 years
24	...	37 years
25	...	38 years
26	...	39 years
27	...	40 years
28	...	41 years
29	...	42 years
30	...	43 years
31	...	44 years
32	...	45 years

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		33 ... 46 years 34 ... 47 years 35 ... 48 years 36 ... 49 years 37 ... 50 years 38 ... 51 years 39 ... 52 years 40 ... 53 years 41 ... 54 years
74-75	2	<u>MAGE12</u> <u>Age of Mother Recode 12</u> 01 ... Under 15 years 03 ... 15 years 04 ... 16 years 05 ... 17 years 06 ... 18 years 07 ... 19 years 08 ... 20 - 24 years 09 ... 25 - 29 years 10 ... 30 - 34 years 11 ... 35 - 39 years 12 ... 40 - 44 years 13 ... 45 - 49 years 14 ... 50 - 54 years
76	1	<u>MAGE8</u> <u>Age of Mother Recode 8</u> 1 ... Under 15 years 2 ... 15 - 19 years 3 ... 20 - 24 years 4 ... 25 - 29 years 5 ... 30 - 34 years 6 ... 35 - 39 years
76	1	<u>MAGE8</u> <u>Age of Mother Recode 8 (Cont'd)</u> 7 ... 40 - 44 years 8 ... 45 - 49 years 9 ... 50 - 54 years
77	1	<u>ORMOTH</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		<u>Hispanic Origin of Mother</u>
except American Samoa		Hispanic origin is reported by all areas Puerto Rico, and
		0 ... Non-Hispanic 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 9 ... Origin unknown or not stated
78	1	<u>ORRACEM</u> <u>Hispanic Origin and Race of Mother Recode</u>
except American Samoa		Hispanic origin is reported by all areas Puerto Rico, and
		1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 6 ... Non-Hispanic White 7 ... Non-Hispanic Black 8 ... Non-Hispanic other races 9 ... Origin unknown or not stated
79	1	<u>MRACEIMP</u> <u>Race of Mother Imputation Flag</u>
code 09,		Blank ... Race is not imputed 1 ... Unknown race is imputed 2 ... All other races, formerly is imputed
80-81	2	<u>MRACE</u> <u>Race of Mother</u> <u>United States occurrence</u> Beginning with 1992 data, some areas started

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
Islander codes for these other code 09 been		reporting additional Asian or Pacific for race. Codes 18-68 replace old code 08 areas. Code 78 replaces old code 08 for all areas. For consistency with Census race (all other races) used prior to 1992 has imputed. 01 ... White
80-81	2	<u>MRACE</u> <u>Race of Mother (Cont'd)</u>
Aleuts and		02 ... Black 03 ... American Indian (includes Eskimos)
Hawaiian)		04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part-
in		07 ... Filipino 18 ... Asian Indian 28 ... Korean 38 ... Samoan 48 ... Vietnamese 58 ... Guamanian 68 ... Other Asian or Pacific Islander
for		78 ... areas reporting codes 18-58 Combined other Asian or Pacific Islander, includes codes 18-68 areas that do not report them separately
		<u>Puerto Rico occurrence</u>
		01 ... White 02 ... Black 00 ... Other races

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
<u>Virgin Islands occurrence</u>		
Aleuts and Hawaiian)		01 ... White
		02 ... Black
		03 ... American Indian (includes
		Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes part-
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		<u>Guam occurrence</u>
		01 ... White
		02 ... Black
		03 ... American Indian (includes
		Eskimos)
		04 ... Chinese
Aleuts and Hawaiian)		05 ... Japanese
		06 ... Hawaiian (includes part-
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		58 ... Guamanian
		<u>American Samoa occurrence</u>
Aleuts and 80-81	2	01 ... White
		02 ... Black
		03 ... American Indian (includes
		Eskimos)
		04 ... Chinese
		<u>MRACE</u>
		<u>Race of Mother (Cont'd)</u>
Hawaiian)		05 ... Japanese
		06 ... Hawaiian (includes part-
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		<u>Northern Marianas occurrence</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
(includes Aleuts and part-Hawaiian) Islander		01 ... White
		02 ... Black
		03 ... American Indian
		04 ... Eskimos)
		05 ... Chinese
		06 ... Japanese
		06 ... Hawaiian (includes
		07 ... Filipino
		08 ... Other Asian or Pacific
82	1	<u>MRACE3</u> <u>Race of Mother Recode</u>
		<u>For All Areas</u>
		1 ... White
		2 ... Races other than White or Black
		3 ... Black
83-84	2	<u>DMEDUC</u> <u>Education of Mother</u>
		Effective with 1992 data, all areas report education.
		00 ... No formal education
		01-08 ... Years of elementary school
83-84	2	<u>DMEDUC</u> <u>Education of Mother</u>
		09 ... 1 year of high school
		10 ... 2 years of high school
		11 ... 3 years of high school
		12 ... 4 years of high school
		13 ... 1 year of college
		14 ... 2 years of college
		15 ... 3 years of college
		16 ... 4 years of college
		17 ... 5 or more years of college
		99 ... Not stated

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<u>MEDUC6</u> <u>Education of Mother Recode</u> 1 ... 0 - 8 years 2 ... 9 - 11 years 3 ... 12 years
85	1	<u>MEDUC6</u> <u>Education of Mother Recode (Cont'd)</u> 4 ... 13 - 15 years 5 ... 16 years and over 6 ... Not stated
86	1	<u>DMARIMP</u> <u>Marital Status of Mother Imputation Flag</u> Blank ... Marital Status is not imputed 1 ... Marital Status is imputed
87	1	<u>DMAR</u> <u>Marital Status of Mother</u> Marital status is not reported by all areas. See reporting flags.
together	2	<u>United States/Virgin Island/Guam/American Samoa/Northern Marianas</u> 1 ... Married 2 ... Unmarried 9 ... Unknown or not stated
		<u>Puerto Rico</u> 1 ... Married 2 ... Unmarried parents living
		3 ... Unmarried parents not living together
		9 ... Unknown or not stated
		<u>MPLBIR</u> <u>Place of Birth of Mother</u> 01 ... Alabama

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		02 ... Alaska
		03 ... Arizona
		04 ... Arkansas
		05 ... California
		06 ... Colorado
		07 ... Connecticut
		08 ... Delaware
		09 ... District of Columbia
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota

88-89

2

MPLBIR
Place of Birth of Mother (Cont'd)

25	...	Mississippi
26	...	Missouri
27	...	Montana
28	...	Nebraska
29	...	Nevada
30	...	New Hampshire
31	...	New Jersey
32	...	New Mexico
33	...	New York
34	...	North Carolina
35	...	North Dakota
36	...	Ohio
37	...	Oklahoma
38	...	Oregon
39	...	Pennsylvania
40	...	Rhode Island
41	...	South Carolina
42	...	South Dakota
43	...	Tennessee

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		44 ... Texas 45 ... Utah 46 ... Vermont 47 ... Virginia 48 ... Washington 49 ... West Virginia 50 ... Wisconsin 51 ... Wyoming 52 ... Puerto Rico 53 ... Virgin Islands 54 ... Guam 61 ... American Samoa 62 ... Northern Marianas 55 ... Canada 56 ... Cuba 57 ... Mexico 59 ... Remainder of the World 99 ... Not classifiable
90	1	<u>MPLBIRR</u> <u>Place of Birth of Mother Recode</u> 1 ... Native born 2 ... Foreign born 3 ... Unknown or not stated
91-92	2	<u>DMAGERPT</u> <u>Reported Age of Mother</u> 10-54 ... Age in single years 99 ... Unknown or not stated

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
93	1	<u>ADEQUACY</u> <u>Adequacy Of Care Recode (Kessner Index)</u> This recode is based on a modified Kessner criterion. Month Prenatal Care Began, Prenatal Visits, and Gestation are the items generate this recode. 1 ... Adequate 2 ... Intermediate 3 ... Inadequate 4 ... Unknown
94-95	2	<u>NLBNL</u> <u>Number of Live Births, Now Living</u> Does not include this birth or adoptions. 00-30 ... Stated number of births 99 ... Unknown or not stated
96-97	2	<u>NLBND</u> <u>Number of Live Births, Now Dead</u> Does not include this birth or adoptions. 00-30 ... Stated number of births 99 ... Unknown or not stated
98-99	2	<u>NOTERM</u> <u>Number of Other Terminations</u> Includes spontaneous and induced at any time after conception. 00-30 ... Stated number of other 99 ... Unknown or not stated
100-101	2	<u>DLIVORD</u> <u>Detail Live Birth Order</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
plus one.		Sum of live births now living and now dead
		If either item is unknown, this item is made unknown.
to		00-31 ... Number of children born alive
		mother
		99 ... Unknown
102	1	<u>LIVORD9</u> <u>Live Birth Order Recode</u>
		1 ... First Child
		2 ... Second Child
		3 ... Third Child
		4 ... Fourth Child
		5 ... Fifth Child

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
102	1	<u>LIVORD9</u> <u>Live Birth Order Recode (Cont'd)</u> 6 ... Sixth Child 7 ... Seventh Child 8 ... Eighth Child and over 9 ... Unknown or not stated
103-104	2	<u>DTOTORD</u> <u>Detail Total Birth Order</u> Sum of live birth order and other terminations. If either item is unknown, this item is made unknown. 01-40 ... Total number of live births and other terminations 99 ... Unknown
105	1	<u>TOTORD9</u> <u>Total Birth Order Recode</u> 1 ... First Child 2 ... Second Child 3 ... Third Child 4 ... Fourth Child 5 ... Fifth Child 6 ... Sixth Child 7 ... Seventh Child 8 ... Eighth Child and over 9 ... Unknown or not stated
106-107	2	<u>MONPRE</u> <u>Detail Month of Pregnancy Prenatal Care Began</u> 00 ... No prenatal care 01 ... 1st month 02 ... 2nd month 03 ... 3rd month 04 ... 4th month 05 ... 5th month 06 ... 6th month 07 ... 7th month 08 ... 8th month 09 ... 9th month

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

99 ... Unknown or not stated

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
108	1	<p style="text-align: center;"><u>MPRE6</u> <u>Month Prenatal Care Began Recode 6</u></p> <p>1 ... 1st - 2nd month 2 ... 3rd month 3 ... 4th - 6th month 4 ... 7th - 9th month 5 ... No prenatal care 6 ... Unknown or not stated</p>
109	1	<p style="text-align: center;"><u>MPRE5</u> <u>Month Prenatal Care Began Recode 5</u></p> <p>1 ... 1st Trimester (1st-3rd month) 2 ... 2nd Trimester (4th-6th month) 3 ... 3rd Trimester (7th-9th month) 4 ... No Prenatal Care 5 ... Unknown or not stated</p>
110-111	2	<p style="text-align: center;"><u>NPREVIS</u> <u>Total Number of Prenatal Visits</u></p> <p>00 ... No prenatal visits 01-48 ... Stated number of visits 49 ... 49 or more visits 99 ... Unknown or not stated</p>
112-113	2	<p style="text-align: center;"><u>NPREV12</u> <u>Number of Prenatal Visits Recode</u></p> <p>01 ... No visits 02 ... 1 - 2 visits 03 ... 3 - 4 visits 04 ... 5 - 6 visits 05 ... 7 - 8 visits 06 ... 9 - 10 visits 07 ... 11 - 12 visits 08 ... 13 - 14 visits 09 ... 15 - 16 visits 10 ... 17 - 18 visits 11 ... 19 visits or more 12 ... Unknown or not stated number of visits</p>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
114-121	8	<u>LMPDATE</u> <u>Date Last Normal Menses Began</u>
114-115	2	<u>LMPMON</u> <u>Month Last Normal Menses Began</u>
		01 ... January
		02 ... February
		03 ... March
		04 ... April
		05 ... May
		06 ... June
		07 ... July
		08 ... August
		09 ... September
		10 ... October
		11 ... November
		12 ... December
		99 ... Unknown or not stated month of
LMP		
116-117	2	<u>LMPDAY</u> <u>Day Last Normal Menses Began</u>
		01-31 ... As applicable to month of LMP
		99 ... Unknown or not stated day of
LMP		
118-121	4	<u>LMPYR</u> <u>Year Last Normal Menses Began</u>
		1998 ... 1998
		1999 ... 1999
		9999 ... Unknown or not stated year of
LMP		
122-132	11	<u>R8</u> Item was dropped in 1994
		<u>R8A</u> <u>Reserved Position</u>

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
133-137	5	<u>Imputed Birthweight</u> Created beginning with 1995 data
133	1	<u>BWIMP</u> <u>Imputed Birthweight Flag</u> Blank ... Birthweight is not imputed 1 ... Birthweight is imputed
134-137	4	<u>Imputed Birthweight</u> 0227-8165 ... Number of grams
138-152	15	<u>R2</u> <u>Reserved Positions</u>
153	1	<u>FAGERFLG</u> <u>Reported Age of Father Used Flag</u> This position is flagged whenever the father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10. Blank ... Reported age is not used 1 ... Reported age is used
154-155	2	<u>DFAGE</u> <u>Age of Father</u> This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications. 10-98 ... Age in single years 99 ... Unknown or not stated
156-157	2	<u>FAGE11</u>

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

Age of Father Recode

01	...	Under 15 years
02	...	15 - 19 years
03	...	20 - 24 years
04	...	25 - 29 years
05	...	30 - 34 years
06	...	35 - 39 years
07	...	40 - 44 years
08	...	45 - 49 years
	09	... 50 - 54 years
10	...	55 - 98 years
11	...	Not stated

158

1

ORFATH

Hispanic Origin of Father

Hispanic origin of father is reported by all
except Puerto Rico, Northern
Samoa

0	...	Non - Hispanic
1	...	Mexican
2	...	Puerto Rican
3	...	Cuban
4	...	Central or South American
5	...	Other and unknown Hispanic
9	...	Origin unknown or not stated

areas
Marianas and American

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
159	1	<u>ORRACEF</u> <u>Hispanic Origin and Race of Father Recode</u> Hispanic origin of father is reported by all except Puerto Rico, Northern areas Marianas and American Samoa. 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 6 ... Non - Hispanic White 7 ... Non - Hispanic Black 8 ... Non - Hispanic other or unknown race 9 ... Origin unknown or not stated
160-161	2	<u>FRACE</u> <u>Race of Father</u> <u>United States occurrence</u> Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for these other code 09 been for race. Codes 18-68 replace old code 08 areas. Code 78 replaces old code 08 for all areas. For consistency with Census race (all other races) used prior to 1992 has Changed to 99. 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes part- Hawaiian) 07 ... Filipino 18 ... Asian Indian

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
in		28 ... Korean
		38 ... Samoan
		48 ... Vietnamese
		58 ... Guamanian
		68 ... Other Asian or Pacific Islander
for		areas reporting codes 18-58
		78 ... Combined other Asian or Pacific Islander, includes codes 18-68
		areas that do not report them separately
		99 ... Unknown or Not Stated

Puerto Rico occurrence

	01	... White
	02	... Black
	00	... Other races
	99	... Unknown or not stated

Virgin Islands occurrence

	01	... White
	02	... Black

160-161

2

FRACE

Race of Father (Cont'd)

Aleuts and

Hawaiian)

	03	... American Indian (includes Eskimos)
	04	... Chinese
	05	... Japanese
	06	... Hawaiian (includes part-
	07	... Filipino
	08	... Other Asian or Pacific Islander
	99	... Unknown or Not Stated

Guam occurrence

Aleuts and

	01	... White
	02	... Black
	03	... American Indian (includes Eskimos)
	04	... Chinese
	05	... Japanese

1999
Detail Natality Record

<u>Tape</u>	<u>Field</u>	<u>Item and Code Outline</u>	
<u>Location</u>	<u>Size</u>		
Hawaiian) Islander		06	... Hawaiian (includes part-
		07	... Filipino
		08	... Other Asian or Pacific
		58	... Guamanian
		99	... Unknown or Not Stated
		<u>American Samoa occurrence</u>	
Aleuts and		01	... White
		02	... Black
		03	... American Indian (includes
			Eskimos)
		04	... Chinese
Hawaiian)		05	... Japanese
		06	... Hawaiian (includes part-
		07	... Filipino
		08	... Other Asian or Pacific
		99	... Unknown or Not Stated
		<u>Northern Marianas occurrence</u>	
(includes Aleuts and		01	... White
		02	... Black
		03	... American Indian
			Eskimos
		04	... Chinese
part-Hawaiian)		05	... Japanese
		06	... Hawaiian (includes
		07	... Filipino
		08	... Other Asian or Pacific
Islander			
162	1	<u>FRACE4</u>	
		<u>Race of Father Recode</u>	
or		1	... White
		2	... Races other than White, Black,
			unknown
		3	... Black
		4	... Unknown or not stated

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
163-165	3	<u>R2A</u> <u>Reserved positions</u> Item was dropped in 1995
166-167	2	<u>DFAGERPT</u> <u>Reported Age of Father</u> 10-98 ... Age in single years 99 ... Unknown or not stated
168	1	<u>FRACEIMP</u> <u>Race of Father Imputation Flag</u> (Unknown race of father is not imputed. However, unknown.) the all other races code is changed to Blank ... Race is not changed 3 ... All other races, formerly code 09, is changed to code 99
169	1	<u>R3</u> <u>Reserved Position</u>
170	1	<u>CDOBMIMP</u> <u>Month of Birth of Child Imputation Flag</u> Blank ... Month is not imputed 1 ... Month is imputed
171	1	<u>RB</u> <u>Reserved Position</u>
172-173	2	<u>BIRMON</u> <u>Month of Birth</u> 01 ... January 02 ... February 03 ... March 04 ... April 05 ... May

1999
Detail Natality Record

**Tape
Location**

**Field
Size**

Item and Code Outline

06	...	June
07	...	July
08	...	August
09	...	September
10	...	October
11	...	November
12	...	December

174-175 2

RC
Reserved Positions

176-179 4

BIRYR
Year of Birth

1999	...	1999
------	-----	------

180 1

WEEKDAY
Day of Week Child Born

1	...	Sunday
2	...	Monday
3	...	Tuesday
4	...	Wednesday
5	...	Thursday
6	...	Friday
7	...	Saturday

181 1

GESTESTM
Clinical Estimate of Gestation Used Flag

This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the gestation is outside the 17-47 code range.

Blank	...	Clinical Estimate is not used
1	...	Clinical Estimate is used

182 1

GESTIMP
Gestation Imputation Flag

Blank	...	Gestation is not imputed
1	...	Gestation is imputed

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
183-184	2	<u>DGESTAT</u> <u>Gestation - Detail in Weeks</u> <p>This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.</p> <p>17-47 ... 17th through 47th week of gestation</p> <p>99 ... Unknown</p>
185-186	2	<u>GESTAT10</u> <u>Gestation Recode 10</u> <p>01 ... Under 20 weeks</p> <p>02 ... 20 - 27 weeks</p> <p>03 ... 28 - 31 weeks</p> <p>04 ... 32 - 35 weeks</p> <p>05 ... 36 weeks</p> <p>06 ... 37 - 39 weeks</p> <p>07 ... 40 weeks</p> <p>08 ... 41 weeks</p> <p>09 ... 42 weeks and over</p> <p>10 ... Not stated</p>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
187	1	<u>GESTAT3</u> <u>Gestation Recode 3</u>
		1 ... Under 37 weeks 2 ... 37 weeks and over 3 ... Not stated
188	1	<u>CSEXIMP</u> <u>Sex Imputation Flag</u>
		Blank ... Sex is not imputed 1 ... Sex is imputed
189	1	<u>CSEX</u> <u>Sex</u>
		1 ... Male 2 ... Female
190-192	3	<u>RD</u> <u>Reserved Positions</u>
193-196	4	<u>DBIRWT</u> <u>Birth Weight - Detail in Grams</u>
		0227-8165 ... Number of grams 9999 ... Not stated birth weight
197-198	2	<u>BIRWT12</u> <u>Birth Weight Recode 12</u>
		01 ... 499 grams or less 02 ... 500 - 999 grams 03 ... 1000 - 1499 grams 04 ... 1500 - 1999 grams 05 ... 2000 - 2499 grams 06 ... 2500 - 2999 grams 07 ... 3000 - 3499 grams 08 ... 3500 - 3999 grams 09 ... 4000 - 4499 grams 10 ... 4500 - 4999 grams 11 ... 5000 - 8165 grams 12 ... Not stated

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
199	1	<u>BIRWT4</u> <u>Birth Weight Recode 4</u> 1 ... 1499 grams or less 2 ... 1500 - 2499 grams 3 ... 2500 - grams or more 4 ... Unknown or not stated
200	1	<u>PLURIMP</u> <u>Plurality Imputation Flag</u> Blank ... Plurality is not imputed 1 ... Plurality is imputed

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
201	1	<p style="text-align: center;"><u>DPLURAL</u> <u>Plurality</u></p> <p>1 ... Single 2 ... Twin 3 ... Triplet 4 ... Quadruplet 5 ... Quintuplet or higher</p>
202-204	3	<p><u>R6</u></p> <p style="text-align: center;"><u>Reserved positions</u></p> <p style="text-align: center;">Item was dropped in 1995</p>
205-206	2	<p><u>FMAPS</u> <u>Five Minute Apgar Score</u></p> <p>Apgar Score is not reported by all areas. reporting flags.</p> <p>00-10 ... A score of 0-10 99 ... Unknown or not stated</p>
See		
207	1	<p><u>FMAPSR</u> <u>Five Minute Apgar Score Recode</u></p> <p>Apgar Score is not reported by all areas. reporting flags.</p> <p>1 ... A score of 0-3 2 ... A score of 4-6 3 ... A score of 7-8 4 ... A score of 9-10 5 ... Not stated</p>
See		
208-209	2	<p><u>CLINGEST</u> <u>Clinical Estimate of Gestation</u></p> <p>Clinical estimate is not reported by all reporting flags.</p> <p>17-47 ... Estimated gestation in weeks</p>
areas. See		

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
210-216	7	99 ... Unknown or not stated <u>R4</u> <u>Reserved Positions</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
217-306	90	<u>MEDINFO</u> <u>Medical and Health Data</u>
while other within an by code it is		<p>Some States do not report an entire item</p> <p>States do not report all of the categories item.</p> <p>If an item is not reported, it is indicated zero in the appropriate reporting flag.</p> <p>If a category within an item is not reported indicated by code 8 in the position for that category.</p>
217-222	6	<u>DELMETH</u> <u>Method of Delivery</u>
and the is:		<p>Each method is assigned a separate position, code structure for each method (position)</p>
		<p>1 ... The method was used</p> <p>2 ... The method was not used</p> <p>8 ... Method not on certificate</p> <p>9 ... Method unknown or not stated</p>
217	1	<u>VAGINAL</u> <u>Vaginal</u>
218	1	<u>VBAC</u> <u>Vaginal birth after previous C-section</u>
219	1	<u>PRIMAC</u> <u>Primary C -section</u>
220	1	<u>REPEAC</u> <u>Repeat C -section</u>
221	1	<u>FORCEP</u> <u>Forceps</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>		
222	1	<u>VACUUM</u>		
		<u>Vacuum</u>		
223	1	<u>R5</u>		
		<u>Reserved Position</u>		
224	1	<u>DELMETH5</u>		
		<u>Method of Delivery Recode</u>		
		1	...	Vaginal (excludes vaginal after previous C-section)
		2	...	Vaginal birth after previous C-section
		3	...	Primary C -section
		4	...	Repeat C -section
		5	...	Not stated

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
225-241	17	<p style="text-align: center;"><u>MEDRISK</u> <u>Medical Risk Factors</u></p> <p>Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:</p> <p>1 ... Factor reported 2 ... Factor not reported 8 ... Factor not on certificate 9 ... Factor not classifiable</p>
225	1	<p style="text-align: center;"><u>ANEMIA</u> <u>Anemia (Hct.<30/Hgb.<10)</u></p>
226	1	<p style="text-align: center;"><u>CARDIAC</u> <u>Cardiac disease</u></p>
	227	<p style="text-align: center;">1 <u>LUNG</u> <u>Acute or chronic lung disease</u></p>
228	1	<p style="text-align: center;"><u>DIABETES</u> <u>Diabetes</u></p>
229	1	<p style="text-align: center;"><u>HERPES</u> <u>Genital herpes</u></p>
230	1	<p style="text-align: center;"><u>HYDRA</u> <u>Hydramnios/Oligohydramnios</u></p>
231	1	<p style="text-align: center;"><u>HEMO</u> <u>Hemoglobinopathy</u></p>
232	1	<p style="text-align: center;"><u>CHYPER</u> <u>Hypertension, chronic</u></p>
233	1	<p style="text-align: center;"><u>PHYPER</u> <u>Hypertension, pregnancy-associated</u></p>
234	1	<p style="text-align: center;"><u>ECLAMP</u> <u>Eclampsia</u></p>
235	1	<p style="text-align: center;"><u>INCERVIX</u> <u>Incompetent cervix</u></p>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
236	1	<u>PRE4000</u> <u>Previous infant 4000+ grams</u>
237	1	<u>PRETERM</u> <u>Previous preterm or small-for-gestational-age</u>
<u>infant</u>		
238	1	<u>RENAL</u> <u>Renal disease</u>
239	1	<u>RH</u> <u>Rh sensitization</u>

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
240	1	<u>UTERINE</u> <u>Uterine bleeding</u>
241	1	<u>OTHERMR</u> <u>Other Medical Risk Factors</u>
242-252	11	<u>OTHERRSK</u> <u>Other Risk Factors for this Pregnancy</u>
242-245	4	<u>TOBACRSK</u> <u>Tobacco Risks</u>
242	1	<u>TOBACCO</u> <u>Tobacco Use During Pregnancy</u>
		1 ... Yes
		2 ... No
		9 ... Unknown or not stated
243-244	2	<u>CIGAR</u> <u>Average Number of Cigarettes Per Day</u>
		00-97 ... As stated
		98 ... 98 or more cigarettes per day
		99 ... Unknown or not stated
245	1	<u>CIGAR6</u> <u>Average Number of Cigarettes Per Day Recode</u>
		0 ... Nonsmoker
		1 ... 1 - 5 cigarettes per day
		2 ... 6 - 10 cigarettes per day
		3 ... 11 - 20 cigarettes per day
		4 ... 21 - 40 cigarettes per day
		5 ... 41 or more cigarettes per day
		6 ... Unknown or not stated
246-249	4	<u>ALCOHRSK</u> <u>Alcohol</u>
246	1	<u>ALCOHOL</u> <u>Alcohol Use During Pregnancy</u>
		1 ... Yes
		2 ... No

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		9 ... Unknown or not stated
247-249	2	<u>DRINK</u> <u>Average Number of Drinks Per Week</u>
		00-97 ... As stated
		98 ... 98 or more drinks per week
		99 ... Unknown or not stated

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
249	1	<p style="text-align: center;"><u>DRINK5</u> <u>Average Number of Drinks Per Week Recode</u></p> <p>0 ... Non drinker 1 ... 1 drink per week 2 ... 2 drinks per week 3 ... 3 - 4 drinks per week 4 ... 5 or more drinks per week 5 ... Unknown or not stated</p>
250-252	3	<p style="text-align: center;"><u>WTGANRSK</u> <u>Weight Gain During Pregnancy</u></p>
250-251	2	<p style="text-align: center;"><u>WTGAIN</u> <u>Weight Gain</u></p> <p>00-97 ... Stated number of pounds 98 ... 98 pounds or more 99 ... Unknown or not stated</p>
252	1	<p style="text-align: center;"><u>WTGAIN9</u> <u>Weight Gain Recode</u></p> <p>1 ... Less than 16 pounds 2 ... 16 - 20 pounds 3 ... 21 - 25 pounds 4 ... 26 - 30 pounds 5 ... 31 - 35 pounds 6 ... 36 - 40 pounds 7 ... 41 - 45 pounds 8 ... 46 or more pounds 9 ... Unknown or not stated</p>
253-259	7	<p style="text-align: center;"><u>OBSTETRC</u> <u>Obstetric Procedures</u></p> <p>Each procedure is assigned a separate the code structure for each procedure is:</p> <p>1 ... Procedure reported 2 ... Procedure not reported</p>

position, and
(position)

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
		8 ... Procedure not on certificate
		9 ... Procedure not classifiable
253	1	<u>AMNIO</u> <u>Amniocentesis</u>
254	1	<u>MONITOR</u> <u>Electronic fetal monitoring</u>
255	1	<u>INDUCT</u> <u>Induction of labor</u>
256	1	<u>STIMULA</u> <u>Stimulation of labor</u>
257	1	<u>TOCOL</u> <u>Tocolysis</u>
258	1	<u>ULTRAS</u> <u>Ultrasound</u>
259	1	<u>OTHEROB</u> <u>Other Obstetric Procedures</u>
260-275	16	<u>LABOR</u> <u>Complications of Labor and/or Delivery</u>
position,		Each complication is assigned a separate and the code structure for each complication (position) is:
		1 ... Complication reported
		2 ... Complication not reported
		8 ... Complication not on certificate
		9 ... Complication not classifiable
260	1	<u>FEBRILE</u> <u>Febrile (>100 degrees F. or 38 degrees C.)</u>
261	1	<u>MECONIUM</u> <u>Meconium, moderate/heavy</u>
262	1	<u>RUPTURE</u> <u>Premature rupture of membrane (>12 hours)</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
263	1	<u>ABRUPTIO</u> <u>Abruptio placenta</u>
264	1	<u>PREPLACE</u> <u>Placenta previa</u>
265	1	<u>EXCEBLD</u> <u>Other excessive bleeding</u>
266	1	<u>SEIZURE</u> <u>Seizures during labor</u>
267	1	<u>PRECIP</u> <u>Precipitous labor (<3 hours)</u>
268	1	<u>PROLONG</u> <u>Prolonged labor (>20 hours)</u>
269	1	<u>DYSFUNC</u> <u>Dysfunctional labor</u>
270	1	<u>BREECH</u> <u>Breech/Malpresentation</u>
271	1	<u>CEPHALO</u> <u>Cephalopelvic disproportion</u>

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
272	1	<u>CORD</u> <u>Cord prolapse</u>
273	1	<u>ANESTHE</u> <u>Anesthetic complications</u>
274	1	<u>DISTRESS</u> <u>Fetal distress</u>
275	1	<u>OTHERLB</u> <u>Other Complication of Labor and/or Delivery</u>
276-284	9	<u>NEWBORN</u> <u>Abnormal Conditions of the Newborn</u>

position, and
(position) is:

Each condition is assigned a separate
the code structure for each condition

1	...	Condition reported
2	...	Condition not reported
8	...	Condition not on certificate
9	...	Condition not classifiable

276	1	<u>NANEMIA</u> <u>Anemia (Hct.<39/Hgb.<13)</u>
277	1	<u>INJURY</u> <u>Birth injury</u>
278	1	<u>ALCOSYN</u> <u>Fetal alcohol syndrome</u>
279	1	<u>HYALINE</u> <u>Hyaline membrane disease</u>
280	1	<u>MECONSYN</u> <u>Meconium aspiration syndrome</u>
281	1	<u>VENL30</u> <u>Assisted ventilation, less than 30 minutes</u>
282	1	<u>VEN30M</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		<u>Assisted ventilation, 30 minutes or more</u>
283	1	<u>NSEIZ</u> <u>Seizures</u>
284	1	<u>OTHERAB</u> <u>Other Abnormal Conditions of the Newborn</u>

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
285-306	22	<p style="text-align: center;"><u>CONGENIT</u> <u>Congenital Anomalies</u></p> <p>Each anomaly is assigned a separate the code structure for each anomaly</p> <p>1 ... Anomaly reported 2 ... Anomaly not reported 8 ... Anomaly not on certificate 9 ... Anomaly not classifiable</p>
285	1	<p style="text-align: center;"><u>ANEN</u> <u>Anencephalus</u></p>
286	1	<p style="text-align: center;"><u>SPINA</u> <u>Spina bifida/Meningocele</u></p>
287	1	<p style="text-align: center;"><u>HYDRO</u> <u>Hydrocephalus</u></p>
288	1	<p style="text-align: center;"><u>MICROCE</u> <u>Microcephalus</u></p>
289	1	<p style="text-align: center;"><u>NERVOUS</u> <u>Other central nervous system anomalies</u></p>
290	1	<p style="text-align: center;"><u>HEART</u> <u>Heart malformations</u></p>
291	1	<p style="text-align: center;"><u>CIRCUL</u> <u>Other circulatory/respiratory anomalies</u></p>
292	1	<p style="text-align: center;"><u>RECTAL</u> <u>Rectal atresia/stenosis</u></p>
293	1	<p style="text-align: center;"><u>TRACHEO</u> <u>Tracheo - esophageal fistula/Esophageal</u> <u>atresia</u></p>
294	1	<p style="text-align: center;"><u>OMPHALO</u> <u>Omphalocele/Gastroschisis</u></p>

1999
Detail Natality Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
295	1	<u>GASTRO</u> <u>Other gastrointestinal anomalies</u>
296	1	<u>GENITAL</u> <u>Malformed genitalia</u>
297	1	<u>RENALAGE</u> <u>Renal agenesis</u>
298	1	<u>UROGEN</u> <u>Other urogenital anomalies</u>
299	1	<u>CLEFTLP</u> <u>Cleft lip/palate</u>
300	1	<u>ADACTYLY</u> <u>Polydactyly/Syndactyly/Adactyly</u>
301	1	<u>CLUBFOOT</u> <u>Club foot</u>
302	1	<u>HERNIA</u> <u>Diaphragmatic hernia</u>
303	1	<u>MUSCULO</u> <u>Other musculoskeletal/integumental anomalies</u>
304	1	<u>DOWN'S</u> <u>Down's syndrome</u>
305	1	<u>CHROMO</u> <u>Other chromosomal anomalies</u>
306	1	<u>OTHERCON</u> <u>Other Congenital Anomalies</u>
307-326	20	<u>FLRES</u> <u>Reporting Flags for Place of Residence</u>

whether or
birth

These positions contain flags to indicate
not the specified item is included on the

1999

Tape
Location

Field
Size

Item and Code Outline

certificate of the State of residence or of
of residence. The code structure for each
(position) is:

```

0      ...  The item is not reported
1      ...  The item is reported or
          reported.

```

307

1

ORIGM
Origin of mother

308

1

ORIGF
Origin of father

309

1

EDUCM
Education of mother

310

1

EDUCF
Education of father

311

1

GESTE
Clinical estimate of gestation

312

1

R6A
Reserved position

313

1

FMAPSRF
5 - minute Apgar score

314

1

DELMETRF
Method of delivery

315

1

MEDRSK
Medical risk factors

316

1

TOBUSE
Tobacco use

317

1

ALCUSE
Alcohol use

318

1

WTGN

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
		<u>Weight gain</u>
319	1	<u>OBSTRC</u> <u>Obstetric procedures</u>
320	1	<u>CLABOR</u> <u>Complications of labor and/or delivery</u>
321	1	<u>ABNML</u> <u>Abnormal conditions of newborn</u>
322	1	<u>CONGAN</u> <u>Congenital anomalies</u>
323	1	<u>R6</u> <u>Reserved Position</u>
324	1	<u>EDUCMSA</u> <u>Education of Mother (Based on MSA)</u>
325	1	<u>APIFLAG</u> <u>Race codes 18-68 reported (beginning with 1992</u> <u>data)</u>
326-346	21	<u>R7</u> <u>Reserved positions</u>
347-349	3	<u>SMSARES</u> <u>PSMA/MSA of Residence (NCHS)</u>

defined by

(OMB) as

England

used.

PMSA's,

counties.

Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those

the U.S. Office of Management and Budget

of June 30, 1990. For New England, the New

County Metropolitan Areas (NECMA's) are

Further back in this document is a list of

MSA's, NECMA's, and their component

1999
Detail Natality Record

<u>Tape</u> <u>Location</u>	<u>Field</u> <u>Size</u>	<u>Item and Code Outline</u>
population residents		000 ... Nonmetropolitan counties
		001-320 ... Code range
		999 ... Area of less than 100,000
		ZZZ ... Foreign

1999
Detail Natality Record

Tape
Location

Field
Size

Item and Code Outline

350

1

POPSMAS
PMSA/MSA Population Size

Based on 1990 Census county population counts

1	...	Area of 250,000 or more
2	...	Area of 100,000 to 250,000
9	...	Area of less than 100,000 or nonmetropolitan area
Z	...	Foreign resident